


































## CARABINERS

	code	colour / surface	material	EN12275		EN362	↔	↕	⊖	gate open. mm	weight	
				sport	work						kN	kN
	<b>COLT SCREW</b> K0112EE00	silver	AL alloy	•	•	26	8	11	18	48	1,7	
	<b>COLT SCREW black</b> K0112BB00	black	AL alloy	•	•	26	8	11	18	48	1,7	
	<b>COLT STRAIGHT</b> K0111EE00	grey	AL alloy	•	-	26	8	11	21	42	1,5	
	<b>COLT STRAIGHT black</b> K0111BB00	black	AL alloy	•	-	26	8	11	21	42	1,5	
	<b>COLT BENT</b> K0110EE00	yellow	AL alloy	•	-	26	8	11	21	42	1,5	
	<b>COLT BENT black</b> K0110BB00	black	AL alloy	•	-	26	8	11	21	42	1,5	
	<b>COLT WIRE STRAIGHT</b> K0113EE00	silver	AL alloy	•	-	26	8	11	22	36	1,3	
	<b>COLT WIRE BENT</b> K0120EE00	blue	AL alloy	•	-	26	8	11	22	36	1,3	
	<b>VISION STRAIGHT</b> K0009EE00	brown	AL alloy	•	-	25	7	8	19	33	1.16	
	<b>VISION BENT</b> K0025EE00	red	AL alloy	•	-	25	7	8	19	33	1.16	
	<b>BORA SCREW</b> K0107EE00	orange	AL alloy	•	•	23	8	8	22	63	2,2	
	<b>BORA SCREW black</b> K0107BB00	black	AL alloy	•	•	23	8	8	22	63	2,2	
	<b>BORA TWL</b> K0108EE00	grey	AL alloy	•	•	23	8	8	22	68	2,4	
	<b>BORA TWL black</b> K0108BB00	black	AL alloy	•	•	23	8	8	22	68	2,4	
	<b>BORA TRIPLE LOCK</b> K0119EE00	orange	AL alloy	•	•	23	8	8	22	68	2,4	
	<b>BORA TRIPLE LOCK black</b> K0119BB00	black	AL alloy	•	•	23	8	8	22	68	2,4	
	<b>BORA GP SCREW</b> K0107EP00	grey	AL alloy	•	•	23	8	8	22	64	2,3	
	<b>BORA GP SCREW black</b> K0107BP00	black	AL alloy	•	•	23	8	8	22	64	2,3	
	<b>D STEEL SCREW</b> K4080ZO	zinc-plated	steel	-	•	50	13	20	25	255	9	
	<b>D STEEL TRIPLE LOCK</b> K4081ZO	zinc-plated	steel	-	•	50	13	20	25	267	9.4	

	code	colour / surface	material	EN12275 EN362		↔	↕	⊙	gate open. mm	weight	
				sport	work					kN	kN
	<b>OVAL STEEL SCREW</b> K424IZO05	zinc-plated	steel	-	•	30	9	8	18	176	6.2
	<b>OVAL STEEL TRIPLE LOCK</b> K424IZO07	zinc-plated	steel	-	•	30	9	8	18	195	6.8
	<b>HECTOR SCREW</b> K0114EE00 K0114BB00	blue black	AL alloy AL alloy	• •	• •	30 30	9 9	8 8	26 26	83 83	2.9 2.9
	<b>HECTOR TRIPLE LOCK</b> K0121EE00 K0121BB00	blue black	AL alloy AL alloy	• •	• •	30 30	9 9	8 8	26 26	89 89	3.1 3.1
	<b>HECTOR BC SCREW</b> K0114EC00 K0114BC00	blue black	AL alloy AL alloy	• •	• •	30 30	9 9	8 8	26 26	85 85	3 3
	<b>HECTOR BC TRIPLE LOCK</b> K0121EC00 K0121BC00	blue black	AL alloy AL alloy	• •	• •	30 30	9 9	8 8	26 26	91 91	3.2 3.2
	<b>VIA FERRATA</b> K5330PE	silver	Al alloy	•	-	30	8	9	26	87	3.1
	<b>ARTWALL</b> K4310PP	silver	steel	•	-	30	10	10	25	125	4.4
	<b>OZONE SCREW</b> K0016AA00 K0016BB00	blue black	Al alloy Al alloy	• •	• •	26 26	10 10	7 7	21 21	80 80	2.8 2.8
	<b>OZONE TWL</b> K0017AA00 K0017BB00	blue black	Al alloy Al alloy	• •	• •	26 26	9 9	7 7	21 21	85 85	3 3
	<b>OZONE TRIPLE LOCK</b> K0018AA00 K0018BB00	blue black	Al alloy Al alloy	• •	• •	26 26	9 9	7 7	21 21	85 85	3 3